



#### **Contents**

Introduction	Page 3
How to brush your child's teeth	Page 4
Baby's first year	Page 5-9
Toddlers and Pre-schoolers	Page 10-11
Infant School Age (4-7)	Page 12
Junior School Age (7-11)	Page 13
Secondary School Age (11-18)	Page 14
Busting Myths	Page 15-16
What to do if you or your child is scared of the dentist?	Page 17
Oral Health Resources	Page 18-21
Dental Health Resources in Wakefield	Page 22
Other useful Resources	Page 23
Oral health poster	Page 24
Oral Health leaflet	Page 25-26





#### Introduction

Tooth decay is caused when bacteria in the mouth feeds on sugars from foods and drinks. This creates acid, which causes damaging holes in the teeth. Tooth decay may be prevented by:

- Reducing the amount and how often you eat sugary foods/drinks.
- Brushing teeth with fluoride toothpaste.
- Making regular trips to the dentist for check-ups and cleanings.
- Having fluoride vanish applied at the dentist.

Taking care of your baby's oral health should start when the first tooth starts to grow. Although these teeth fall out after a couple of years, they are extremely important as they hold space in the mouth for adult teeth to arrive. Bad oral health can cause numerous problems with your child's health, such as eating, sleeping, communication, poor self-esteem or could be linked to even more serious chronic illnesses such as heart disease, diabetes, and respiratory diseases. Start creating tooth brushing habits with your children early so these habits will continue throughout their life. Having good oral health can protect your child's teeth for their whole life.

This guide has been designed to help and encourage parents by providing access support to give a better understanding of positive oral health and why it is beneficial. It will provide parents and carers with knowledge and skills about their child's oral health from birth to their teenage years, using useful information, tips, and resources to start building a routine with their child and achieve positive oral health goals.

Goal: The goal of this guide is to encourage parents to promote and role model positive oral health routines.





#### How to brush your child's teeth

- Brush all surfaces of the teeth and gumline in small circles for about 2 minutes, just before bedtime and another time that fits with your routine.
- Children under 3 should use a smear of toothpaste containing no less than 1000ppm fluoride.
- Children aged 3 and over should use a pea-sized amount of toothpaste containing more than 1000ppm fluoride.
- Use a toothpaste containing 1350-1500ppm fluoride for maximum prevention. Most 'own brand' supermarket toothpastes are suitable and more affordable.
- Encourage the child to spit out the toothpaste.
- Do NOT rinse with water. Rinsing washes away the fluoride so it can't do its job.
- The parent/carer should assist with brushing until the child is at least 7 years old.
- The parent/carer should sit the child on their knee or stand behind them and cradle their head while brushing.
- Here is video demonstrating how to brush your child's teeth.





#### **Baby's first year**

Parents and carers can ask any additional questions or find out extra information from your midwives, health visitors and nursery nurses.

Tout		Heaful Decourses
Topic	Information	Useful Resources
Accessing dental care	<ul> <li>Free dental care will be provided to new mums for up to 12 months after birth.</li> <li>Adults should go to the dentist for a check-up at least once every 2 years.</li> <li>The dentist will advise on how often your child should have a check-up, but this will be at least once a year and often more frequently.</li> <li>Children should start going to the dentist with the rest of the family as soon as their first tooth erupts and before the age of one. By doing this, the dentist will become a familiar environment and your child will get to know the dentist. Dentists can provide advice and identify any oral health problems from an early age.</li> </ul>	Enter your postcode to find a dentist Find a dentist Find a dentist - NHS (www.nhs.uk)  The Dental Check by One shows the importance of taking your child to the dentist before their first birthday and the benefits doing this may have.  Dental Check by One with Dr Ranj (CBeebies presenter)
Good oral health for good general health	<ul> <li>Good oral health is essential for general health and wellbeing.</li> <li>To care for your child's oral health, it is important to know how to care for your own oral health.</li> <li>Children's first teeth are just as important as adult teeth. Poor oral health behaviour will have a negative effect on both their teeth and gums.</li> <li>Tooth decay can cause pain and infection which may lead to sleepless nights, time off nursery/ childcare (for children) and time off work (for parents/carers).</li> <li>Therefore, if children have bad oral health, it can affect</li> </ul>	A practical guide to children's teeth a guide for parents to take care of your child's oral health throughout different stages of childhood.  A resource for parents, carers, and health professionals about looking after baby's teeth in their first year  Looking after your baby's teeth and gum



		-80
The Personal Child Health Record (red book)	their ability to learn, thrive and develop. Good oral health contributes to school readiness and the prevention of school absence.  • Young children often need a general anaesthetic to have decayed teeth removed which can be an unpleasant experience and is not without risk.  • Baby teeth are important to guide the adult teeth into the right position. If they are lost early, the spaces for adult teeth can be lost, and they may come through crooked.  • The 'red book' contains dental pages (Page 48) with useful information. You can ask your dentist to record it when your child visits the dentist.	Personal Child Health Record. Parents can keep a record of their child's personal health, including oral health. Parents can take bring this book whenever they visit your midwife, dentist, school nurse and childminder for example.  167711_v4.5_PCHR_ FINAL_complete_Dec_
Toothbrushing	<ul> <li>Start brushing your child's teeth as soon as they start to come through.</li> <li>Brushing teeth removes plaque (a white sticky film, containing bacteria) which covers the teeth and gums). Brushing away the plaque keeps teeth and gums healthy.</li> <li>Use a baby toothbrush with a small smear of fluoride toothpaste.</li> <li>Don't worry if you don't manage to brush much at first, the important thing is to get your baby used to brushing their teeth as part of</li> </ul>	A video is provided on the NHS website showing parents how to brush their child's teeth Looking after your baby's teeth - NHS (www.nhs.uk)  The Toothbrush Song from Hey Duggee (CBeebies)  How to care for the teeth of children aged 0-3 with Dr Ranj and Supertooth! (CBeebies presenter)





their daily routine. You can role model this behaviour by letting them watch you brush your own teeth.  You should brush your child's teeth for them rather than supervising.  Make toothbrushing fun!  Teething  Teething  Teething  Read tips on how to help your teething baby.  The first teeth that appear are usually the bottom front teeth around 5-7 months, followed by top front teeth. The baby should have 20 baby teeth by the time they are two and a half years old.  Baby teeth sometimes come through with no pain or discomfort. Other times you may notice:  Your baby's gum is red and sore.  One cheek is flushed.  They are rubbing their ear.  They are dribbling more than usual.  They are more fretful than usual.  Some people think teething can cause other symptoms, such as diarrhoea and fever, but there is no evidence to support this. Arrange for your baby to see a doctor if they seem unwell whilst teething.  They may find it a relief to chew on something, such as a cold teething ring. Teething gels don't usually help, but if you decide to use one, make sure it's sugar free. Sugar free ibuprofen or paracetamol can be given to relieve teething symptoms in babies			
are usually the bottom front teeth around 5-7 months, followed by top front teeth. The baby should have 20 baby teeth by the time they are two and a half years old.  Baby teeth sometimes come through with no pain or discomfort. Other times you may notice:  Your baby's gum is red and sore.  One cheek is flushed. They are rubbing their ear. They are gnawing and chewing on things a lot. They are gnawing and chewing on things a lot. They are more fretful than usual.  Some people think teething can cause other symptoms, such as diarrhoea and fever, but there is no evidence to support this. Arrange for your baby to see a doctor if they seem unwell whilst teething. They may find it a relief to chew on something, such as a cold teething ring. Teething gels don't usually help, but if you decide to use one, make sure it's sugar free. Sugar free ibuprofen or paracetamol can be given to relieve teething symptoms in babies		role model this behaviour by letting them watch you brush your own teeth.  • You should brush your child's teeth for them rather than supervising.  • Make toothbrushing fun!	ideo (from Henry)
months or older.	reetning	are usually the bottom front teeth around 5-7 months, followed by top front teeth. The baby should have 20 baby teeth by the time they are two and a half years old.  Baby teeth sometimes come through with no pain or discomfort. Other times you may notice:  Your baby's gum is red and sore.  One cheek is flushed. They are rubbing their ear.  They are dribbling more than usual.  They are gnawing and chewing on things a lot. They are more fretful than usual.  Some people think teething can cause other symptoms, such as diarrhoea and fever, but there is no evidence to support this. Arrange for your baby to see a doctor if they seem unwell whilst teething. They may find it a relief to chew on something, such as a cold teething ring. Teething gels don't usually help, but if you decide to use one, make sure it's sugar free. Sugar free ibuprofen or paracetamol can be given to relieve teething symptoms in babies and young children aged 3	Soothe Your g Baby rs.co.uk) ething symptoms





# Feeding baby and moving onto solids

- Plaque bacteria in the mouth feeds on sugar making acid which causes tooth decay. It is not just the amount of sugar, but how long and how often the teeth are in contact with sugar.
- The only safe drinks for teeth are plain milk and water.
- Breastmilk provides the best nutrition for babies and is the only food or drink they need for around the first 6 months of their life. Formula milk is the only suitable alternative for breastmilk.
- Breastfeeding for up to 12 months is associated with decreased risk of tooth decay.
- It is ok to use bottles for breastmilk, formula milk, or cooled boiled water.
- DO NOT put juices in bottles as this will bathe the teeth in sugar for long periods of time causing tooth decay.
- From 6 months old, you can offer babies drinks in nonvalved free flowing cups (not a Sippy cup as this will require the child to suck like a bottle). Move from a bottle to a free-flow cup by 12 months.
- When your baby starts eating solid foods, encourage them to eat savoury food. Check if there's sugar in pre prepared foods (including the savoury foods.) Rusks and baby drinks are not needed as part of a healthy diet and should be avoided.
- Avoid giving your baby biscuits, sweets, or dried fruit. However, if you chose to include them, they should only be eaten at mealtimes.

#### Sugar: the facts

The benefits of breastfeeding - Baby Friendly Initiative (unicef.org.uk) – explains why breastfeeding is important for mum and baby. Includes resources to help mums who are breastfeeding.

Breastfeeding and dental health - GOV.UK (www.gov.uk) - Summary of the link between breastfeeding and positive oral health.

Wakefield - Families and Babies (FAB) — Supports mums with breastfeeding.

Healthy Eating Right from the Start video (from Henry).

The Food Scanner app from Change4Life can help you check how much sugar your family is having.

What To Feed Your Baby | Around 6 months | Weaning | Start for Life (www.nhs.uk)





- on food packaging using different words. Sucrose, glucose, dextrose, maltose, fructose and hydrolysed starch, invert sugar, syrup, honey, raw sugar, brown sugar, cane sugar, muscovado sugar and concentrated fruit juices are all sugars. Even if it is marketed as 'natural' or 'organic sugar,' it will be harmful to teeth.
- At bedtime or during the night, only give your child breastmilk, formula or cooled boiled water.
- If your child needs medicine, ask your pharmacist or GP is there's a sugar free option.

#### Dummies and thumb sucking

- Using dummies or thumb sucking can cause the top and bottom front teeth to move and make space for the dummy/ thumb making a gap. Your child's speech development can also be affected.
- It is fine to give your baby a dummy but avoid using them after 12 months.
- Discourage your child from running around, talking, or making sounds with a dummy or their thumb in their mouth and don't dip dummies in anything sweet, such as sugar or jam.
- Never suck on your child's dummy to clean it as you will spread germs between you and your baby. Keep plenty of spares instead.

<u>Channel</u> – Information on dummies and the problems they can cause after the first year of your baby's life.

Thumb sucking - Better
Health ChannelInformation on thumb
sucking and the
problems it can cause to
your baby's oral health.

How to Ditch the Dummy
- Childcare.co.uk
ways to take the dummy
away.





#### **Toddlers and pre-schoolers**

Parents and carers can ask any additional questions or find out any extra information from Health Visitors, nursery nurses and early year practitioners.

Tonio	Information	Heaful Bassurass
Topic	information	Useful Resources
Toothbrushing	<ul> <li>See page 3 for 'how to brush your child's teeth.'</li> <li>Persevere even if the child is uncooperative.         Brushing with fluoride toothpaste is more important than good toothbrushing techniques</li> <li>Each family member should have their own toothbrush to stop the spread of germs.</li> <li>Make toothbrushing fun using books, timers, reward charts etc.</li> </ul>	Tooth Brushing Song by Blippi   2-Minutes Brush Your Teeth for Kids - Bing video- Children are encouraged to brush their teeth for the length of the 2-minute song. Throughout the song, children are shown how to brush their teeth.  CBeebies   Something Special   Mr Tumble's Brush Your Teeth Song - Bing video  The Toothbrush Song from Hey Duggee (CBeebies).  How to care for the teeth of children aged 3-6 with Dr Ranj and Supertooth! (CBeebies presenter).  Growing up with Healthy Teeth video (from Henry).  A healthy mouth in children   Chalfont St Peter Dental Practice (chalfontdentist.co.uk):
		Shine Time   Games   Health for Kids
		Looking After My Teeth   Staying Healthy   Health for Kids Brush DJ





Visiting the dentist	Reduce the amount and how often your child eats food and drinks that contain sugar.  • Dilute, fizzy drinks, softs drinks and fruit juices sweetened with sugar do not need to be included in your child's daily diet. If you do choose to give your child juice, dilute it to 1-part juice to 10 parks water and only give it with meals, not in between.  • Limit the amount of fruit juice and/or smoothies your child drinks to a maximum of 150 ml (one potion) a day and drink it with meals to reduce risk of tooth decay.  • Always ask for sugar free medicines.  • NHS dental treatment is free for children under 18 or under 19 in qualifying full-time education  • Going to the dentist regularly helps children become familiar with the dental environment and enables the dentist to pick up on any problems as early as possible.	Sugar: the facts  Healthy Eating Right from the Start video (from Henry)  The Food Scanner app from Change4Life can help you check how much sugar your family is having.  CBeebies   Something Special   Mr Tumble's Eat Our Greens Song! - Bing video  Encouraging Healthy Eating - Nurseries (kidsplaychildcare.co.uk)  CBeebies: Topsy and Tim - Visit The Dentist - Bing video  Look here to find out who is entitled to free NHS dental treatment  Mr Tumble the Dentist - Bing video





#### **Infant School age (4-7 years)**

Parents and Carers can find out any additional information or any extra questions from teaching staff and school nurses.

Tonic	Information	Useful
Topic	Illiormation	_
		Resources
Looking after teeth and gums	<ul> <li>Oral health is part of the National Curriculum in Key stage 1 Science and in Relationship's education, sexual education (RSE) and health education.</li> <li>Tooth decay can cause pain, infection and sleepless nights which leads to time off nursery/school and time off work for parents. In Wakefield, each 5-year-old child has on average 0.7 teeth that are decayed (2015).</li> <li>Tooth decay is the most common reason for hospital admissions in the 6–10-year-old age group.</li> </ul>	How to care for the teeth of children aged 3-6 with Dr Ranj and Supertooth! - Bing video  Shine Time   Games   Health for Kids  Looking After My Teeth   Staying Healthy   Health for Kids
Toothbrushing	<ul> <li>See page 3 for 'how to brush your child's teeth' guide.</li> </ul>	How do I brush my child's teeth? (6 months to 7 years)   NHS - YouTube
Diet and visiting the dentist	<ul> <li>Information for 4–7-year-olds is the same as toddlers and preschoolers.</li> <li>The best food and drink for healthy teeth: <ul> <li>Water</li> <li>Sliced carrots, peppers, and apples (scrapes away plaque and bacteria).</li> <li>Cheese.</li> <li>Low fat milk and yogurt (calcium)</li> <li>Oranges, strawberries, and kiwis (Vitamin C)</li> <li>Leafy greens and broccoli (Calcium and other nutrients)</li> <li>Eggs (Vitamin D and protein)</li> <li>Nuts and seeds (oils and fats that act as a forcefield against bacteria)</li> </ul> </li> </ul>	The Food Scanner app from Change4Life can help you check how much sugar your family is having.  CBeebies: Topsy and Tim - Visit The Dentist - Bing video



#### Junior school age (7-11 years)

Parents and carers can find out any additional information or any additional questions from teaching staff and school nurses

Topic	Information	Useful Resources
Looking after teeth and gums	<ul> <li>Oral health is part of the National Curriculum in Key stage 1 Science and in Relationship's education, relationships and sexual education (RSE) and health education.</li> <li>Children's permanent teeth start to erupt at around age of around 6 years and most of your child's permanent teeth should have come through by the age of 12-14 years.</li> </ul>	How to care for the teeth children aged 7+ with Dr Ranj and Supertooth! - Bing video  Shine Time   Games   Health for Kids  Looking After My Teeth   Staying Healthy   Health for Kids
Toothbrushing	<ul> <li>See 'how to brush your child's teeth' guide on page 3.</li> </ul>	Brush DJ - Toothbrushing App
Diet and visiting the dentist	<ul> <li>It will be harder to control what your child eats and drinks as the get older but hopefully they will already have got used to healthy eating.</li> <li>See page 11 for more information on your child's diet.</li> </ul>	





# Secondary school age (11-18 years)

Parents and carers can find out any additional information or any extra questions from teaching staff and school nurses.

Topic	Information	Useful Resources
Looking after teeth and gums	<ul> <li>It is important that as your child gets older, they start taking responsibility for their own oral health.</li> <li>If your child plays any contact sport, ensure they wear a professionally made mouthguard to protect against dental trauma.</li> <li>Discourage sports drinks.</li> <li>Oral health is part of the national curriculum in Key Stage 3 and 4 science, and Relationships Education, Relationships and Sexual Education (RSE) and Health Education.</li> </ul>	mis11-024-gd-oral-health teenagers-information-leaflet.pdf (nhsaaa.net) – Oral health advice for teenagers.  Teens' teeth - Oral Health Foundation (dentalhealth.org)
Toothbrushing	<ul> <li>Find information in Junior School age category.</li> </ul>	
Diet and visiting the dentist	<ul> <li>Discourage sports and energy drinks.</li> <li>See previous tables for more information.</li> </ul>	Healthy eating for teenagers (wsh.nhs.uk)





#### **Busting Myths**

Myth	Advice
'Baby teeth are not important because they will just fall out anyway.'	<ul> <li>Your child's first teeth are just as important as 'grown up' teeth. Poor oral health as a child will lead to poor oral health in adulthood.</li> <li>Baby teeth guide the adult teeth into the right position, if they are lost early, the spaces for adult teeth can be lost and teeth may come through crooked.</li> </ul>
'You only need to visit the dentist when there is a problem.'	<ul> <li>You should take your child to the dentist as soon as their firth tooth begins to erupt. The dentist will also be able to spot any oral health problems early. Prevention is better than the cure!</li> <li>Children should have their first check-up by the age of one year.</li> <li>The dentist will advise you on how regularly your child needs to be seen.</li> </ul>
'I can't control what my child eats when friends, family and childminders are caring for them.'	<ul> <li>Gently set some ground rules, explain how you want your child to eat. For example, ask them to not give sweets as a reward for good behaviour but instead give a different reward such as stickers.</li> <li>Ensure that milk and water is given throughout the day rather than sugary drinks.</li> <li>Send your child with a packed lunch and different healthy snacks.</li> <li>If your child is staying somewhere else overnight, make sure to pack a toothbrush and fluoride toothpaste. Ask them to supervise your child when they are brushing their teeth.</li> </ul>
'My child can't achieve positive oral health because they refuse to brush their teeth and eat healthy' (non-compliant behaviour)	<ul> <li>As soon as the child's teeth start to come though, start brushing their teeth and get them into a routine.</li> <li>Persevere even when child resits.</li> <li>Try make toothbrushing fun: Play a song whilst they brush their teeth, let them pick their own toothbrush (character toothbrush), educate them with fun books and videos, use a timer, leave a note from the tooth fairy reminding them to brush their teeth, reward charts.</li> <li>Brush your teeth at the same time as your child- role model behaviour.</li> <li>If your child still will not brush their teeth, there might be an underlying issue, such as sensitive teeth. Consider a trip to the dentist.</li> <li>There are lots of brushing apps to encourage brushing. For example, Brush DJ</li> </ul>





'I should rinse my mouth after brushing'  We should not rinse with water or mouthwash after brushing as it washes away the fluoride toothpaste away. If a mouthwash is used (generally in children over 8 years) it should be used at a different time, not after brushing.







# What to do if you or your child is scared of the dentist?

Age	Advice	Links
6 months to 8 years	No one is born scared of the dentist, but as you grow up, you can learn to be scared of things, such as being afraid of the dark or spiders.  Children can easily read people making it very easy for parents to pass their fears to their children. If you predict that going to the dentist will be an unpleasant experience	A guide for parents of children who are 6 months to 8 years, who are scared to visit the dentist.  Parents   LLTTF Dental
	and you're scared about how your child will react, an unhelpful cycle will occur. Here are a couple of things you can do to make the trip to the dentist easier:  1. Read a story together to help them prepare- Reading books about the dentist can prepare your child for what will happen and talking about it can make your child feel safe. A helpful book is 'Pepper Pig: Dentist trip'  2. Avoid phrases such as "You need to be brave", "You need to sit still" and "They'll think you're naughty." This can add to your child's stress and worry.	Help your child write a letter to the dentist so the dentist can talk to your child and build a relationship. Dental anxiety worksheet (llttf.com)  Dentist Trip
9 years to 16 years	Many people feel anxious about visiting the dentist. The resources linked will help you support your child to feel less worried when they visit the dentist. Use 'SUPPORT':  S- Show your child positive ways of coping when you visit the dentist together. U- Understand and recognise your child's needs. P- Patience. P- Promote new skills and teamwork. O- Offer practical and emotional support. R- Reward their efforts. T- Talk about it.	A guide for parents of children who are scared to visit the dentist.  Parent of child 9-16 years  LLTTF Dental  'A message to the dentist' activity sheet for young people.  Dental- Worksheet 2015.pdf (Ilttf.com)





#### **Oral Health Resources**

#### Fun videos to teach children about oral health

- Tooth Brushing Song by Blippi | 2-Minutes Brush Your Teeth for Kids Bing video
- CBeebies | Something Special | Mr Tumble's Brush Your Teeth Song Bing video
- The Toothbrush Song from Hey Duggee
- CBeebies: Topsy and Tim Visit The Dentist Bing video
- Mr Tumble the Dentist Bing video
- Ceebies | Something Special | Mr Tumble's Eat Our Greens Song! Bing videoB

#### Apps/ games

Teach Kids Oral Care Habits With Disney Timer App | Oral-B (oralb.co.uk)

Brush DJ

Shine Time | Games | Health for Kids


#### **Books**


- For ages 0-2, Brush, Brush, Brush!
- For ages 2-4, Sesame Street, Ready, Set, Brush
- For ages 4-6, Sugar bug Doug: all about Cavities, Plaque and Teeth
- For ages 6-10, The Tooth Book, A Guide to Healthy Teeth and Gums


#### Dr Ranj

- Dental Check by One with Dr Rani (CBeebies presenter)
- How to care for the teeth of children aged 0-3 with Dr Ranj and Supertooth! (CBeebies presenter)
- How to care for the teeth of children aged 3-6 with Dr Ranj and Supertooth! (CBeebies presenter)
- How to care for the teeth children aged 7+ with Dr Ranj and Supertooth! Bing video













Docouroo	Vov points/topio's sovered
Resource	Key points/ topic's covered
Healthy eating: Right from the	Part 1:
start   HENRY	-Sitting, slowly, sociably.
	-Limits are very important.
	-You provide, they decide (be guided by signs
	of hunger and fullness) -Let them feed themselves.
	Part 2:
	-Food is a family affair (balanced meals for the
	whole family.)
	-Let babies try different kinds of foods.
	-Balance different food groups from age of 1.
	-Use hands as a guide for potion sizes.
	-Involve children in planning and preparing of
	meals.
	-Offer children choice between healthy
	alternatives.
Growing up with healthy teeth	Part 1:
HENRY	-3 meals and 2 healthy snacks a dayIntroduce savoury foods when weaning
	before sweet foods such as fruit.
	-Breast milk for as long as you and your baby
	want as it is the best protection for teeth.
	-Only give milk and water to drink.
	-Use free flow cups from 6 months and aim to
	stop using bottles by 12 months.
	Part 2:
	-Brush teeth 2x a day with fluoride toothpaste.
	-Start as soon as the 1 <sup>st</sup> tooth appears.
	-Make it fun. It should last around 2 minutesSpit don't rinse.
	-Have regular dental check-ups.
Institute of Health Visiting,	-Top tips for bushing.
2015 provide a quick 3-page	-Fluoride toothpaste.
guide on how to protect your	-Healthy eating.
children's teeth.	-Visiting dentist.
Childrens-Teeth-support-	
iHV.pdf (pacey.org.uk)	
miripai (paocylorgian)	
Children's Oral Health -	Takes 20 minutes to complete- Provides
eLearning for healthcare (e-	information and advice on oral health.
Ifh.org.uk)	





A parent's guide to oral health and dental care for children with a learning disability, autism, or both a parents guide to dental care web single.pdf (contact.org.uk)  Change4life Be Food Smart - Breakfast - YouTube  Food facts - Healthier Families - NHS (www.nhs.uk)  NHS Website Looking after your baby's teeth - NHS (www.nhs.uk)  How do I brush my child's teeth? (6 months to 7 years)   NHS - YouTube	-Why dental checks are importantHow the checks are doneHow to access dental checksHow you can prepare and support your childHow to find out more.  Video: -Highlights how much sugar is in our breakfast foods such as cerealUse the smart food app to see how much sugar is in the food you are eating.  Website (Includes links to different pages such a): NHS food scanner app, Healthier food swaps, Snacks, Sugar, Sugar calculator, Salt and FatHow to brush your baby's teeth guideHow to brush your baby's teeth videoTeethingToothbrushing tips.
Baby teething symptoms - NHS (www.nhs.uk)  Children's teeth - NHS (www.nhs.uk)	
A parents guide to oral health and dental care for children with a learning disability, autism, or both.  a parents guide to dental car e web single.pdf (contact.org.uk)	-Why dental, hearing and eye checks are important -How checks are done -How to access dental, hearing and eye checks -How you can prepare and support your child -How to find out more
Videos from the Clinical Commissioning Group (CCG)  Mouth care for people with learning disabilities: Making Reasonable Adjustments (Dental Services) - YouTube	1st video: -How services can adapt to meet patient's individual needs and better their dental experiences.  2nd video: -How and when to brush your teethHow parents can brush their child's teeth.





Mouth care for people with learning disabilities: Brushing your Teeth - YouTube	
National Smile Month digital guides.  Free Downloads   Oral Health Foundation (dentalhealth.org)	-Diabetes and Oral Health -Pregnancy and Oral Health -Autism and Oral Health -Mental and Oral Health -Deafness and Oral Health -Blindness and Oral Health -Sports and Oral Health
Oral Health Foundation Downloads and Resources Downloads and Resources Oral Health Foundation (dentalhealth.org)	-Free presentations, lesson plans and activities for children aged 3 to 11Why do we have teeth? -First visit to dentistFood and DrinkDiet and SnackingOur smileTypes of teethAnatomy of teethLooking after our teethSugar and out teethIncludes a comprehensive guide to help children with brushing their teeth.







# HOW TO BRUSH YOUR CHILD'S TEETH





wakefieldcouncil

# YOUR CHILP'S TEETH HOW TO BRUSH







# HOW TO BRUSH YOUR CHILP'S TEETH

Brush all the surfaces of the teeth and gum line in and another time that fits with your day. small circles for about 2 minutes, just before bed



Children under 3 should use a smear of toothpaste containing no less than 1000ppm\* fluoride.



Children aged 3 and over should use a than 1350ppm\* fluoride. pea-sized amount of toothpaste containing more



Most 'own brand' supermarket toothpastes are suitable and more affordable.



\*every tube of toothpaste says how much fluoride it has in it



- Sit your child on your knee or stand behind them and cradle their head whilst brushing.
- Allow babies to play with a toothbrush from an early age, they will get used to the feel of it in their mouth.
- Children with SEND may need opportunities to play and explore with a toothbrush to encourage them to use it as described, allow the child to touch their face with it, use different tasting toothpaste to try and find one your children like.



Tooth decay is caused when bacteria in the mouth feeds on sugars from foods and drinks. This creates acid, which causes damaging holes in the teeth.

Bad oral health
can cause problems with
your child's health such
as eating, sleeping,
communication and poor
self-esteem. Bad oral health
can be linked to a series of
illnesses such as heart disease
diabetes, and respiratory
diseases.

Start creating toothbrushing habits with your child early so these habits will continue throughout their life.

wake tooth brushing fun.
Sing a song while brushing your child's teeth, count or sing the alphabet. You can also tell a story, say a nursery rhyme, or make animal sounds while brushing.

when the first tooth

starts to grow.

health should start

your baby's oral

Taking care of



WWW.wakefieldcouncil.com/oral-health-for-children

or use this QR code.